Author index

Akerboom, T.P.M., see Kunst, M. (983) 123
Aragón, C., see Lopez-Corcuera, B. (983) 247
Avron, M., see Katz, A. (983) 9

Bannai, S., see Sato, H. (983) 259
Bar, L.K., Chong, P.L.-G., Barenholz, Y. and Thompson, T.E.
Spontaneous transfer between phospholipid bilayers of dehydroergosterol, a fluorescent cholesterol analog (983) 109
Barenholz, Y., see Bar, L.K. (983) 109
Bashford, C.L., Rodrigues, L. and Pasternak, C.A.
Protection of cells against membrane damage by haemolytic agents: divalent cations and protons act at the extracellular side of the plasma membrane (983) 56
Beigel, M., see Keren-Zur, M. (983) 253
Bessoule, J.-J., Lessire, R. and Cassagne, C.
Theoretical analysis of the activity of membrane-bound enzymes using amphiphilic or hydrophobic substrates. Application to the acyl-CoA elongases from *Allium porrum* cells and to their purification (983) 35
Bevers, E.M., see Comfurius, P. (983) 212
Bond, S.E., see Petrusewicz, J. (983) 161
Bourguignon, G.J., see Jy, W. (983) 153
Bourguignon, L.Y.W., see Jy, W. (983) 153
Buchet, R., Jona, I. and Martonosi, A.
Correlation of structure and function in the Ca^{2+}-ATPase of sarcoplasmic reticulum: a Fourier transform infrared spectroscopy (FTIR) study on the effects of dimethyl sulfoxide and urea (983) 167

Canicatti, C., see Roch, P. (983) 193
Carrier, D., Giziewicz, J.B., Moir, D., Smith, I.C.P. and Jarrell, H.C.
Dynamics and orientation of glycolipid headgroups by ^{2}H-NMR: gentiobiose (983) 100
Carter, D.P., see Raval, P.J. (983) 230
Carter-Burks, G., see Petrusewicz, J. (983) 161
Cassagne, C., see Bessoule, J.-J. (983) 35
Chong, P.L.-G., see Bar, L.K. (983) 109
Ciarrocchi, A., see Michelangeli, F. (983) 82
Comfurius, P., Bevers, E.M. and Zwaal, R.F.A.
Interaction between phosphatidylserine and the isolated cytoskeleton of human blood platelets (983) 212

Deber, C.M., see Fraser, P.E. (983) 23
De Pont, J.J.H.H.M., see Van der Hijden, H.T.W.M. (983) 142
Dillingham, E.O., see Petrusewicz, J. (983) 161

Eckardt, A., see Niewiarowski, S. (983) 91
Ehrenberg, B., see Gross, E. (983) 118
Elsner, R. and Ziegler, K.
Determination of the apparent functional molecular mass of the hepatocellular sodium-dependent taurocholate transporter by radiation inactivation (983) 113

Fairbanks, G., see Raval, P.J. (983) 230
Fairbanks, G., see Sheerin, H.E. (983) 65
Fehlau, R., see Fuhrmann, G.F. (983) 179
Fernández, E., see Michelangeli, F. (983) 82
Fraser, P.E., Rand, R.P. and Deber, C.M.
Bilayer-stabilizing properties of myelin basic protein in dioleoylphosphatidylethanolamine systems (983) 23
Fregien, N., see Jy, W. (983) 153
Fuhrmann, G.F., Fehlau, R., Schneider, H. and Knauf, P.A.
The effect of ferricyanide with iodoacetate in calcium-free solution on passive cation permeability in human red blood cells: comparison with the Gardos-effect and with the influence of PCMBS on passive cation permeability (983) 179
Fujita, Y., see Katsu, T. (983) 135

Giffin, B., see Keough, K.M.W. (983) 51
Giziewicz, J.B., see Carrier, D. (983) 100
Gollamudi, R., see Petrusewicz, J. (983) 161
Gross, E. and Ehrenberg, B.
The partition and distribution of porphyrins in liposomal membranes. A spectroscopic study (983) 118
Guggino, W.B., see Hilden, S.A. (983) 77

Hayashi, Y., Mimura, K., Matsui, H. and Takagi, T.
Minimum enzyme unit for Na^+/K^+-ATPase is the $\alpha\beta$-protomer. Determination by low-angle laser light scattering photometry coupled with high-performance gel chromatography for substantially simultaneous measurement of ATPase activity and molecular weight (983) 217
Hilden, S.A., Johns, C.A., Guggino, W.B. and Madias, N.E.
Techniques for isolation of brush-border and basolateral membrane vesicles from dog kidney cortex (983) 77
Hitzemann, R.J.
Effects of non-electrolyte molecules with anesthetic activity on the physical properties of DMPC multilammelar liposomes (983) 205
Holt, J.C., see Niewiarowski, S. (983) 91

Ishii, T., see Sato, H. (983) 259

Jarrell, H.C., see Carrier, D. (983) 100
Johns, C.A., see Hilden, S.A. (983) 77
Jona, I., see Buchet, R. (983) 167
Jy, W., Fregien, N., Bourguignon, G.J. and Bourguignon, L.Y.W.
Role of Ca^{2+} in the regulation of hormone receptor exposure during lymphocyte activation (983) 153

Kanner, B.I., see Lopez-Corcuera, B. (983) 247
Katsu, T., Kuroko, M., Morikawa, T., Sanchika, K., Fujita, Y., Yamamura, H. and Uda, M.
Mechanism of membrane damage induced by the amphipathic peptides gramicidin S and melittin (983) 135
Katz, A., Pick, U. and Avron, M.
Characterization and reconstitution of the Na^+/H^+ antiporter from the plasma membrane of the halotolerant alga *Dunaliella* (983) 9
Keough, K.M.W., Giffin, B. and Matthews, P.L.J.
Phosphatidylcholine–cholesterol interactions: bilayers of hetero-acid lipids containing linoleate lose calorimetric transitions at low cholesterol concentration (983) 51
Keren-Zur, M., Beigel, M. and Loyter, A.
Induction of fusion in aggregated and nonaggregated liposomes bearing cationic detergents (983) 253

Kester, M.B., see Sokolove, P.M. (983) 15
Kim, H., see Kim, J. (983) 1
Kim, J. and Kim, H.
Interaction of α-lactalbumin with phospholipid vesicles as studied by photoactivated hydrophobic labeling (983) 1
Knauf, P.A., see Fuhrmann, G.F. (983) 179
Kornecki, E., see Niewiarowski, S. (983) 91
Koschel, K., see Tas, P.W.L. (983) 264
Kress, H.-G., see Tas, P.W.L. (983) 264
Kunst, M., Sies, H. and Akerboom, T.P.M.
ATP-stimulated uptake of *S*-(2,4-dinitrophenyl)glutathione by plasma membrane vesicles from rat liver (983) 123
Kuroko, M., see Katsu, T. (983) 135

Lasslo, A., see Petrusewicz, J. (983) 161
Lessire, R., see Bessoule, J.-J. (983) 35
Lönnendonker, U., see Weik, R. (983) 127
Lopez-Corcuera, B., Kanner, B.I. and Aragón, C.
Reconstitution and partial purification of the sodium and chloride-coupled glycine transporter from rat spinal cord (983) 247
Loyter, A., see Keren-Zur, M. (983) 253
Lukasiewicz, H., see Niewiarowski, S. (983) 91

Madias, N.E., see Hilden, S.A. (983) 77
Martonosi, A., see Buchet, R. (983) 167
Matsui, H., see Hayashi, Y. (983) 217
Matthews, P.L.J., see Keough, K.M.W. (983) 51
McDaniel, R.V. and McIntosh, T.J.
Neutron and X-ray diffraction structural analysis of phosphatidylinositol bilayers (983) 241
McIntosh, T.J., see McDaniel, R.V. (983) 241
Michelangeli, F., Ruiz, M.-C., Fernández, E. and Ciarrocchi, A.
Role of Ca^{2+} in H^+ transport by rabbit gastric glands studied with A23187 and BAPTA, an incorporated Ca^{2+} chelator (983) 82
Mimura, K., see Hayashi, Y. (983) 217
Moir, D., see Carrier, D. (983) 100
Morikawa, T., see Katsu, T. (983) 135

Neumcke, B., see Weik, R. (983) 127
Niewiarowski, S., Norton, K.J., Eckardt, A., Lukasiewicz, H., Holt, J.C. and Kornecki, E.
Structural and functional characterization of major platelet membrane components derived by limited proteolysis of glycoprotein IIIa (983) 91
Norton, K.J., see Niewiarowski, S. (983) 91

Pasternak, C.A., see Bashford, C.L. (983) 56
Petrusewicz, J., Lasslo, A., Carter-Burks, G., Gollamudi, R., Dillingham, E.O. and Bond, S.E.
Relationships between chemical structure and inhibition of epinephrine-induced human blood platelet aggregation (983) 161
Pick, U., see Katz, A. (983) 9

Rand, R.P., see Fraser, P.E. (983) 23
Raval, P.J., Carter, D.P. and Fairbanks, G.
Relationship of hemolysis buffer structure, pH and ionic strength to spontaneous contour smoothing of isolated erythrocyte membranes (983) 230
Roch, P., Canicatti, C. and Valembois, P.
Interactions between earthworm hemolysins and sheep red blood cell membranes (983) 193
Rodrigues, L., see Bashford, C.L. (983) 56
Ruiz, M.-C., see Michelangeli, F. (983) 82

Sanchika, K., see Katsu, T. (983) 135
Sato, H., Ishii, T., Sugita, Y. and Bannai, S.
Changes in neutral amino acid transport activity in myeloid leukemia cells differentiated by lipopolysaccharide (983) 259
Schmitt, J.J. and Zimmermann, U.
Enhanced hybridoma production by electrofusion in strongly hypo-osmolar solutions (983) 42
Schneider, H., see Fuhrmann, G.F. (983) 179
Shaklai, N., see Solar, I. (983) 199
Sheerin, H.E., Snyder, L.M. and Fairbanks, G.
Cation transport in oxidant-stressed human erythrocytes: heightened *N*-ethylmaleimide activation of passive K^+ influx after mild peroxidation (983) 65
Sies, H., see Kunst, M. (983) 123
Sikora-VanMeter, K., see Sokolove, P.M. (983) 15
Smith, I.C.P., see Carrier, D. (983) 100
Snyder, L.M., see Sheerin, H.E. (983) 65
Sokolove, P.M., Westphal, P.A., Kester, M.B., Wierwille, R. and Sikora-VanMeter, K.
Duramycin effects on the structure and function of heart mitochondria. I. Structural alterations and changes in membrane permeability (983) 15
Solar, I. and Shaklai, N.
Association of hemin with protein 4.1 as compared to spectrin and actin (983) 199
Sugii, S. and Tsuji, T.
Studies on the binding substances on human erythrocytes for the heat-labile enterotoxin isolated from chicken enterotoxigenic *Escherichia coli* (983) 30
Sugita, Y., see Sato, H. (983) 259

Takagi, T., see Hayashi, Y. (983) 217
Tas, P.W.L., Kress, H.-G. and Koschel, K.
Volatile anesthetics inhibit the ion flux through Ca^{2+}-activated K^+ channels of rat glioma C6 cells (983) 264
Thompson, T.E., see Bar, L.K. (983) 109
Tsuji, T., see Sugii, S. (983) 30

Uda, M., see Katsu, T. (983) 135

Valembois, P., see Roch, P. (983) 193
Van der Hijden, H.T.W.M. and De Pont, J.J.H.H.M.
Cation sidedness in the phosphorylation step of Na^+/K^+-ATPase (983) 142
Van Duijn, B. and Vogelzang, S.A.
The membrane potential of the cellular slime mold *Dictyostelium discoideum* is mainly generated by an electrogenic proton pump (983) 186
Vogelzang, S.A., see Van Duijn, B. (983) 186

Weik, R., Lönnendonker, U. and Neumcke, B.
Low-conductance states of K^+ channels in adult mouse skeletal muscle (983) 127
Westphal, P.A., see Sokolove, P.M. (983) 15
Wierwille, R., see Sokolove, P.M. (983) 15

Yamamura, H., see Katsu, T. (983) 135

Ziegler, K., see Elsner, R. (983) 113
Zimmermann, U., see Schmitt, J.J. (983) 42
Zwaal, R.F.A., see Comfurius, P. (983) 212